CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222          00000000
GG         88    88   111     22    22        00      00
GG         88    88    11           222       00      00
GG   GGGG   888888      11         222         00      00
GG     GG  88    88     11       22            00      00
GG     GG  88    88     11     22              00      00
 GGGGGG    888888   11111111  22222222         00000000
```

CROSSTABS

AFTPAR BY GENSER
BY DCON

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JDFO

77/04/08. 21.50.02.

7 APR -CHANGES TO *CDECKS*, RECORD MANAGER IMPROVEMENTS,
NEW VERSION OF MEMO NO. 27, SEE THE BULLET.

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

UNIVERSITY OF COLORADO COMPUTING CENTER

DATA DOCUMENTS/IMSS-192

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

UNIVERSITY OF COLORADO COMPUTING CENTER
DATA DOCUMENTS/INC 55-192

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INPUT-55-192
UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
                MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
                               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
                               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
                               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
                               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
                               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
                               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
                               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
                               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
                               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
                               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
                               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
                               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
          MISSING.VALUES       YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
                               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
                               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
                               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
                               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
                               PRAGE(0,99)
          CROSSTABS            VARIABLES=AFTPAR(0,9)/GENSER(0,5)/DCON(0,7)/TABLES=AFTPAR BY
                               GENSER BY DCON
          STATISTICS           ALL
          READ INPUT DATA

  043200 CM NEEDED FOR CROSSTABS
```

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 5

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

AFTPAR BY GENSER

CONTROLLING FOR.. DCON

VALUE.. 2 → 1590-1599

* * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 6

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

AFTPAR BY GENSER

CONTROLLING FOR.. VALUE.. 3 → 1600-1609

DCON

* * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU B = .10416. SIGNIFICANCE = .1622
KENDALL≠S TAU C = .07889. SIGNIFICANCE = .1622
CONDITIONAL GAMMA = .17609
SOMERS≠S D (ASYMMETRIC) = .09262 WITH AFTPAR DEPENDENT. = .11714 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .10345
ETA = .33081 WITH AFTPAR DEPENDENT.
ETA = .24355 WITH GENSER DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER
STATA DOCUMENTS/IMPSS-192

FILE PARIS (CREATION DATE = 77/04/08.)

* CROSSTABULATION OF *

AFTPAR BY GENSER

CONTROLLING FOR.. DCON

VALUE.. 4 → 1610-1619

* * * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU B = .31027. SIGNIFICANCE = .0020
KENDALL≠S TAU C = .24420. SIGNIFICANCE = .0020
CONDITIONAL GAMMA = .48898
SOMERS≠S D (ASYMMETRIC) = .31958 WITH AFTPAR DEPENDENT. = .30123 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .31014
ETA = .35996 WITH AFTPAR DEPENDENT.
ETA = .35089 WITH GENSER DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER
COMMENTS/INC 65-192

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

AFTPAR BY GENSER

CONTROLLING FOR.. VALUE.. 5 → 1620-1629

DCON

* * * * * * * * * * * * * * * * * * \

ETA = .12140 WITH AFTPAR DEPENDENT.
ETA = .21526 WITH GENSER DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER
DATA DOCUMENTS/IN-SS-192

FILE PARIS (CREATION DATE = 77/04/08.)

* CROSSTABULATION OF *

AFTPAR BY GENSER

CONTROLLING FOR.. DCON VALUE.. 6 → 1630-1689

* * * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU B = .07418. SIGNIFICANCE = .2087
KENDALL≠S TAU C = .05623. SIGNIFICANCE = .2087
CONDITIONAL GAMMA = .12081
SOMERS≠S D (ASYMMETRIC) = .06761 WITH AFTPAR DEPENDENT. = .08139 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .07386
ETA = .08859 WITH AFTPAR DEPENDENT.
ETA = .21721 WITH GENSER DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 14

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

AFTPAR BY GENSER

CONTROLLING FOR.. DCON VALUE.. 7 → 1640-1650

* PAGE 1 OF 1

AFTPAR	COUNT / ROW PCT / COL PCT / TOT PCT	1 FIRST OF FAMILY	2 ONE GEN	3 TWO GEN	4 THREE GEN	5 FOUR GEN	ROW TOTAL
2		33	18	5	1	2	59
		55.9	30.5	8.5	1.7	3.4	64.1
		67.3	72.0	50.0	20.0	66.7	
		35.9	19.6	5.4	1.1	2.2	
3		12	5	4	2	1	24
		50.0	20.8	16.7	8.3	4.2	26.1
		24.5	20.0	40.0	40.0	33.3	
		13.0	5.4	4.3	2.2	1.1	
4		1	0	0	0	0	1
		100.0	0	0	0	0	1.1
		2.0	0	0	0	0	
		1.1	0	0	0	0	
6		2	2	0	2	0	6
		33.3	33.3	0	33.3	0	6.5
		4.1	8.0	0	40.0	0	
		2.2	2.2	0	2.2	0	
7		1	0	0	0	0	1
		100.0	0	0	0	0	1.1
		2.0	0	0	0	0	
		1.1	0	0	0	0	
9		0	0	1	0	0	1
		0	0	100.0	0	0	1.1
		0	0	10.0	0	0	
		0	0	1.1	0	0	
COLUMN TOTAL		49	25	10	5	3	92
		53.3	27.2	10.9	5.4	3.3	100.0

Stayed in Parl

became a MR

Press or High Off. in Prov

Pres-Comptes ou Audes

Household Official

Ambassadeur

RAW CHI SQUARE = 23.65644 WITH 20 DEGREES OF FREEDOM. SIGNIFICANCE = .2577

CRAMER≠S V = .25354

CONTINGENCY COEFFICIENT = .45226

LAMBDA (ASYMMETRIC) = .03030 WITH AFTPAR DEPENDENT. = .02326 WITH GENSER DEPENDENT.

LAMBDA (SYMMETRIC) = .02632

UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .09804 WITH AFTPAR DEPENDENT. = .07846 WITH GENSER DEPENDENT.

UNCERTAINTY COEFFICIENT (SYMMETRIC) = .08717

KENDALL≠S TAU B = .12133. SIGNIFICANCE = .1002

KENDALL≠S TAU C = .08625. SIGNIFICANCE = .1002

CONDITIONAL GAMMA = .20448

SOMERS≠S D (ASYMMETRIC) = .11011 WITH AFTPAR DEPENDENT. = .13370 WITH GENSER DEPENDENT.

SOMERS≠S D (SYMMETRIC) = .12076

UNIVERSITY OF COLORADO COMPUTING CENTER

ETA = .28047 WITH AFTPAR DEPENDENT.
ETA = .24577 WITH GENSER DEPENDENT.

SUMMARY GAMMAS FOR CROSSTABULATION OF AFTPAR BY GENSER
ZERO-ORDER GAMMA = .18912
FIRST-ORDER PARTIAL GAMMA = .18736

NUMBER OF MISSING OBSERVATIONS = 316

UNIVERSITY OF COLORADO COMPUTING CENTER
CU DOCUMENTS/IMPRESS-192